ELSEVIER

Journal of Statistical Planning and Inference 104 (2002) 503–504

journal of statistical planning and inference

www.elsevier.com/locate/jspi

Author Index Volume 104 (2002)*

Ahmed, S.E., Simultaneous estimation of coefficients of variation	(1)	31–51
Bansal, N.K. and K.J. Miescke, Simultaneous selection and estimation in general linear models	(2)	377–390
Boutsikas, M.V. and M.V. Koutras, On the number of overflown urns and excess balls in an allocation model with limited urn capacity	(2)	259–286
Buonaccorsi, J.P. and C.-D. Lin, Berkson measurement error in designed repeated measures studies with random coefficients	(1)	53–72
Chaloner, K., *see* M. Clyde	(1)	175–196
Chang, F.-C. and C.-F. Lay, Optimal designs for a growth curve model	(2)	427–438
Chaudhuri, A. and S. Pal, On certain alternative mean square error estimators in complex survey sampling	(2)	363–375
Chen, J., *see* M. Yuan	(1)	147–160
Cheung, S.H., *see* K.S. Kwong	(2)	351–362
Clyde, M. and K. Chaloner, Constrained design strategies for improving normal approximations in nonlinear regression problems	(1)	175–196
Corcoran, J.N. and R.L. Tweedie, Perfect sampling from independent Metropolis-Hastings chains	(2)	297–314
Demidenko, E. and T.A. Stukel, Efficient estimation of general linear mixed effects models	(1)	197–219
Duan, L., *see* Y. Zhang	(2)	239–258
Estévez-Pérez, G., A. Quintela-del-Río and P. Vieu, Convergence rate for cross-validatory bandwidth in kernel hazard estimation from dependent samples	(1)	1–30
Ferreira, A., Optimal asymptotic estimation of small exceedance probabilities	(1)	83–102
Ferreira, H., *see* L. Pereira	(2)	287–295
Finner, H. and K. Strassburger, Structural properties of UMPU-tests for 2×2 tables and some applications	(1)	103–120
Ghosh, S. and L. Teschmacher, Comparisons of search designs using search probabilities	(2)	439–458
Goos, P., *see* L. Tack	(2)	469–483
Guo, J.Q. and T. Li, Poisson regression models with errors-in-variables: implication and treatment	(2)	391–401
Hardwick, J. and Q.F. Stout, Optimal few-stage designs	(1)	121–145
Hedayat, A.S., B. Yan and J.M. Pezzuto, Optimum designs for estimating ED_p based on raw optical density data	(1)	161–174
Holland, B., *see* K.S. Kwong	(2)	351–362
Iwashita, T. and T. Seo, An application of Lévy's inversion formula for higher order asymptotic expansion	(2)	403–416
Jones, M.C., The complementary beta distribution	(2)	329–337
Kathman, S.J. and G.R. Terrell, Improving Poisson approximations through tilting and expansion	(2)	315–327
Koutras, M.V., *see* M.V. Boutsikas	(2)	259–286

* The issue number is given in front of page number.

Elsevier Science B.V.
PII: S0378-3758(02)00129-5

Kwong, K.S., B. Holland and S.H. Cheung, A modified Benjamini–Hochberg multiple comparisons procedure for controlling the false discovery rate (2) 351–362
Lay, C.-F., *see* F.-C. Chang (2) 427–438
Li, G., *see* Y. Wang (2) 417–425
Li, T., *see* J.Q. Guo (2) 391–401
Lin, C.-D., *see* J.P. Buonaccorsi (1) 53–72
Lin, C.T., *see* G.S. Mudholkar (2) 485–501
Lu, Y., *see* Y. Zhang (2) 239–258
Marchetti, C.E., *see* G.S. Mudholkar (2) 485–501
Matsui, T., *see* S. Yamada (2) 459–468
Miescke, K.J., *see* N.K. Bansal (2) 377–390
Mudholkar, G.S., C.E. Marchetti and C.T. Lin, Independence characterizations and testing normality against restricted skewness–kurtosis alternatives (2) 485–501
Pal, S., *see* A. Chaudhuri (2) 363–375
Pardo, J.A., L. Pardo and K. Zografos, Minimum ϕ-divergence estimators with constraints in multinomial populations (1) 221–237
Pardo, L., *see* J.A. Pardo (1) 221–237
Pereira, L. and H. Ferreira, The asymptotic locations of the maximum and minimum of stationary sequences (2) 287–295
Pezzuto, J.M., *see* A.S. Hedayat (1) 161–174
Quintela-del-Rio, A., *see* G. Estévez-Pérez (1) 1–30
Raqab, M.Z., Inferences for generalized exponential distribution based on record statistics (2) 339–350
Seo, T., *see* T. Iwashita (2) 403–416
Stout, Q.F., *see* J. Hardwick (1) 121–145
Strassburger, K., *see* H. Finner (1) 103–120
Stukel, T.A., *see* E. Demidenko (1) 197–219
Tack, L., P. Goos and M. Vandebroek, Efficient Bayesian designs under heteroscedasticity (2) 469–483
Terrell, G.R., *see* S.J. Kathman (2) 315–327
Teschmacher, L., *see* S. Ghosh (2) 439–458
Tweedie, R.L., *see* J.N. Corcoran (2) 297–314
Vandebroek, M., *see* L. Tack (2) 469–483
Vieu, P., *see* G. Estévez-Pérez (1) 1–30
Wang, Y. and G. Li, A dose finding procedure based on the multivariate likelihood ratio test (2) 417–425
Wong, A.C.M. and J. Wu, Small sample asymptotic inference for the coefficient of variation: normal and nonnormal models (1) 73–82
Wu, J., *see* A.C.M. Wong (1) 73–82
Yamada, S. and T. Matsui, Optimality of mixed-level supersaturated designs (2) 459–468
Yan, B., *see* A.S. Hedayat (1) 161–174
Yuan, M. and J. Chen, Deconvolving multidimensional density from partially contaminated observations (1) 147–160
Zhang, Y., L. Duan, Y. Lu and Z. Zheng, Construction of generalized Hadamard matrices $D(r^m(r+1), r^m(r+1); p)$ (2) 239–258
Zheng, Z., *see* Y. Zhang (2) 239–258
Zografos, K., *see* J.A. Pardo (1) 221–237